

	REVISIONS						
REV	DESCRIPTION	DATE	APPROVE				

NOT APPROVED FOR PRODUCTION

				DRAWN BY: PERRITT APPROVED HEAT TREAT	® RED	BARN MACHINE
			USED ON MODEL	FINISH BLACK OXIDE SPEC BLACK OXIDE UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS	TITLE	TITLE
PART#	QTY	DESCRIPTION		.XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ±.5°	DWG NO.	PART #
-1	1	41L40 Ø5/8 x 3/4		UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS	DATE 9-15-03 SHEET 1 of 1

	REVISIONS							
REV	DESCRIPTION	DATE	APPROVED					

NOT APPROVED FOR PRODUCTION

			PAR	Г# (QTY					
			-1		1		4140 3/16 x 1 1/2 x 4			
		DRAWN BY: PERRITT			— \ Г		$D \wedge D M$	$M \wedge C$	IITN	
		CHECKED HEAT		(<u>RB</u>	7 [くヒリ	BAKIN	MAL	$\Box\Box\Box$	1 L
		TREAT FINISH SPEC		TITLE						
	USED ON MODEL	UNLESS OTHERWISE SPECIFIE DIMENSIONS ARE IN INCHES	D							
	?	TOLERANCES ON: DECIMALS						-		
ł		.XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1 ANGLES ±.5		DWG NO.		PART ±		#		REV.
ı		UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES)				1 1 11 \ 1			
		.015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	3	SCALE		NTS	DATE 9-15-0)3 ^{sheet}	1 of	1